

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/818,955	03/27/2001	Koji Nishi	P/2850-47	9861

7590 06/28/2004

STEVEN I. WEISBURD, ESQ  
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP  
1177 AVE OF THE AMERICAS -41ST FLOOR  
NEW YORK, NY 10036

EXAMINER

CHANKONG, DOHM

ART UNIT PAPER NUMBER

2154

DATE MAILED: 06/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/818,955

Applicant(s)

NISHI, KOJI

Examiner

Dohm Chankong

Art Unit

2154

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 27 February 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☒ Some \* c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
  - 2) ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 3/27/2001.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

Art Unit: 2154

### DETAILED ACTION

1. Claims 1-10 are presented for examination.

#### *Claim Objections*

2. Claims 1-7 and 9 are objected to because of the following informalities: All dependent claims should be prefaced with the word 'the' not 'a' since the method or system referred to in the dependent claims refers to the method or system established in the independent claim on which they rely. Appropriate correction is required.

#### *Claim Rejections - 35 USC § 102*

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Art Unit: 2154

3. Claims 1-7 and 10 are rejected under 35 U.S.C 102(e) as being anticipated by Yates et al (hereinafter Yates), U.S Patent No. 6,330,586.

4. As to claim 1, Yates teaches a quality assured network service provision system compatible with a multi-domain network (abstract, column 16, lines 1-5), wherein:

a communication network comprising a plurality of operations management networks (domains) which are connected to a plurality of customer networks with user terminals and which are managed by different providers (abstract, column 1, line 65 to column 2, line 9), includes:

a network service management device for managing collectively device cluster incorporated within an operations management network of each of said providers, and receiving service orders and faults information from customers (column 3, lines 25-28 and column 4, lines 23-40 where the agents are equivalent to a management device as they can collectively work together to provide 'management functionality'); and

a service broker device at the functional host layer of said network service management device cluster for providing a broker function for achieving agreement between said plurality of providers (column 15, line 64 to column 16, line 2).

5. As to claim 2, Yates teaches the quality assured network service provision system wherein:

said network service management device comprises an outputting device for

Art Unit: 2154

outputting information on services which can be provided by each of said providers and domain information to said multi-service broker (column 13, lines 35-36 and column 15, lines 33-54); and

said service broker device comprises a device for storing output information from each network service management device, selecting a network service management device of a domain which will satisfy a required quality level when a network service request is generated by a customer, and issuing instructions for introducing and setting necessary information (column 10, lines 52-54, column 13, lines 36-43 and column 16, lines 11-27)

6. As to claim 3, Yates teaches the quality assured network service provision system wherein:

said network service management device comprises an input and output device for input, by an operator, of information on services which can be provided by said provider and domain information made up of configuration information about an operations management network of said provider (column 22, lines 14-31 and lines 50-63);

storage devices for storing information input from said input and output device by information type (column 15, line 55);

a workflow server for determining transfer destinations for processing commands based on each service request from a customer (column 9, lines 1-7 and column 10, lines 8-11 where the DPE handles the workflow of the system and consists of servers that determine destinations of all messages and commands send in the system);

Art Unit: 2154

a bandwidth broker for registering said domain information and service information in said service broker device, and determining, in cooperation with said workflow server, a subject for executing a subsequent process (column 15, lines 8-12 and column 16, lines 55-63); and

an internal processing system for performing processing management of information required by said communication device (column 10, lines 33-45).

7. As to claim 4, Yates teaches a quality assured network service provision system, wherein:

said service broker device comprises a storage device for storing service information and domain information received from said network service management device (column 18, lines 38-47 and column 23, lines 65-67); and

a data processing device for performing information processing such as writing and reading of information to and from said storage device, as well as providing a security management function relative to said bandwidth broker (column 24, lines 1-7 and lines 56-61).

8. As to claim 5, Yates teaches the system wherein:

said bandwidth broker and said workflow server have a means for deciding, based on logic, whether a subject for executing a subsequent process due to a customer service request is in an external system or an internal system (column 4, lines 17-26, lines 41-55 and column 15, lines 28-49 – where in this case, the internal system is the terminal domain, and the other domains are the external systems to the user located in the terminal domain).

Art Unit: 2154

said bandwidth broker has a means for deciding a domain in cases where subject for executing a subsequent process is an external system (column 4, lines 62-65 and column 14, line 66 to column 15, line 7); and

said workflow server has a means for deciding an internal processing system of a forward destination in cases where a subject for executing a subsequent process is in an internal system (column 10, lines 33-43, column 11, lines 19-30 - where the DPE is equivalent to the workflow server, and the terminal agent and user agent are located in the same domain, and therefore process the command within the internal system).

9. As to claim 6, Yates teaches a system wherein:

said service broker has a means for referring to service information stored in said service storage section and deciding whether a subject for executing a subsequent process due to a customer service request is in an external system or an internal system (column 4, lines 17-26, lines 41-55, column 15, lines 28-49, column 23, lines 65-67 and column 24, lines 57-58);

a means for deciding an external forward destination in cases where a subject for executing a subsequent process is in an external system (column 4, lines 62-65 and column 14, line 66 to column 15, line 7 - where the other domains are the external systems); and

a means for deciding an internal processing system of a forward destination in cases where a subject for executing a subsequent process is in an internal system (column 10, lines 33-43, column 11, lines 19-30).

10. As to claim 7, Yates teaches a system wherein:



Art Unit: 2154

said internal system comprises any one of a customer care server for managing service order information received from customers (column 19, lines 49-65),

a design server for managing network resources of an operations management network of a provider (column 10, lines 64-67),

a policy server for reading pre-recorded policy information, as well as converting said policy information into setting information for a communication device of a specific vendor, and performing provisioning of a communication device for the provision of a server (column 17, lines 33-60 and column 18, lines 9-13), and

a network management device for providing a network fault management function for a configuration management and open channel incorporating communication devices within an operations management network of a provider and connection configuration of circuitry for connecting said communication devices (column 9, lines 1-7 and column 10, lines 32-55 and line 64 to column 11, line 17),

each of which is connected to said workflow server (column 15, lines 8-12 where the DPE is equivalent to the workflow server).

11. As to claim 10, Yates teaches a service broker device in an interconnected network for providing, in a network comprising a plurality of operations management networks which are connected to a plurality of customer networks with user terminals and which are managed by different providers, a broker function for achieving agreement between a plurality of providers based on configuration information and information on the services

Art Unit: 2154

which can be provided by each provider network (column 4, lines 13-22, lines 27-40 and column 16, lines 1-2 and lines 28-35).

***Claim Rejections - 35 USC § 103***

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

13. Claims 8- 9 are rejected under 35 U.S.C 103(a) as being unpatentable over Yates, in view of Graham et al (hereinafter Graham), U.S Patent No. 6,594,700.

14. As to claim 8, Yates teaches a method of providing a quality assured network service compatible with a multi-domain network comprising:

a plurality of domains which are connected to a plurality of customer networks with user terminals and which are managed by different providers (column 4, lines 13-22), and incorporating

a network service management device for controlling collectively device clusters incorporated within an operations management network of each of said providers, as well as receiving service orders and faults information from customers (column 3, lines 25-28 and column 4, lines 23-40 where the agents are equivalent to a management device as they can collectively work together to provide 'management functionality'); and

Art Unit: 2154

a service broker device at the functional host layer of said network service management device cluster for providing a broker function for achieving agreement between said plurality of providers (column 3, lines 5-15, lines 37-59 and column 4, lines 17-21 and column 15, line 64 to column 16, line 2), wherein said method comprises:

a service agreement step in which a request is received from a customer, said service broker device and said network management device reach an agreement relating to service conditions for providing a service which will satisfy a required quality level, and route information for an appropriate domain and a network management device are selected (column 12, lines 15-36 and lines 60-65, column 16, lines 24-27)

a service provisioning step for performing required service provisioning on a communication device based on service conditions and route information agreed upon in said network management device (column 12, lines 12-36 and column 14, line 57 to column 15, line 7).

However, Yates does not teach a service registration step in which a network management device of each provider registers in said service broker device, domain information comprising configuration information and information on services which can be provided.

15. Graham teaches a service registration step in which a network management device of each provider registers in said service broker device, domain information comprising configuration information and information on services which can be provided (column 6, lines 12-49). It would have been obvious to one of ordinary skill in the art at the time the

Art Unit: 2154

invention was made to implement Graham's service registration step into Yates to provide a central registry for providing convenient and efficient method for clients to look up services.

16. As to claim 9, teaches the method wherein said service provisioning step further comprises a step for service order processing, a step for route design processing and a step for provisioning processing (column 11, lines 49-61, column 12, lines 15-36 and column 13, line 64 to column 14, line 3 - where the communication path and graph creation is equivalent to the route design).

### *Conclusion*

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following patents are cited to further show the state of the art in regards to multi-domain network services:

U.S Patent No. 5,664,102 to Faynberg;

U.S Patent No. 5,959,985 to Freen et al;

U.S Patent No. 6,064,666 to Willner et al;

U.S Patent No. 6,289,201 to Weber et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dohm Chankong whose telephone number is (703)305-8864.


The examiner can normally be reached on 8:00AM - 5:00PM.

Art Unit: 2154

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Follansbee can be reached on (703)305-8498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DC

  
ZARNI MAUNG  
PRIMARY EXAMINER